



## Multilayeraufbau

### ML4-STD2



Kupfer 35µm  
Prepreg 7628, 0.18mm  
Prepreg 7628, 0.18mm  
Basismaterial 0.71mm, 2x35µm Kupfer  
Prepreg 7628, 0.18mm  
Prepreg 7628, 0.18mm  
Kupfer 35µm

### ML4-1




Basismaterial 0.71mm, 2x35µm Kupfer  
Prepreg 2125, 0.10mm  
Basismaterial 0.71mm, 2x35µm Kupfer

### ML6-STD



Kupfer 35µm  
Prepreg 7628, 0.18mm  
Basismaterial 0.41mm, 2x35µm Kupfer  
Prepreg 7628, 0.18mm  
Basismaterial 0.41mm, 2x35µm Kupfer  
Prepreg 7628, 0.18mm  
Kupfer 35µm

### ML8-STD



Kupfer 35µm  
Prepreg 7628, 0.18mm  
Basismaterial 0.20mm, 2x35µm Kupfer  
Prepreg 7628, 0.18mm  
Basismaterial 0.20mm, 2x35µm Kupfer  
Prepreg 7628, 0.18mm  
Basismaterial 0.20mm, 2x35µm Kupfer  
Prepreg 7628, 0.18mm  
Kupfer 35µm